Pre-Bid Meeting Minutes of Construction Materials Supply For 12 Aggregation Centre

Date: 27/03/2024

Project Name: Market Linkage Promotion Program (MLP) funded by World Food Programme (WFP) Project Location: Ukhiya Upazila under Cox's Bazar District

Tender Ref: RIC/CEN/TENDER/MLP/CXB/0346/2024

Tender Publish Date: 19/03/2024

Tender Closing Date: 02/04/2024

Tender Opening Date: 02/04/2024

Pre-Bid Meeting Schedule

Date: 27/03/2024

Time: 12:30 PM (Approx 01 Hour)

Meeting Place: RIC Central Office, Dhaka

The above-mentioned Pre-bid meeting was presided by Abu Riyadh Khan, Deputy Director & Member Secretary of Procurement Committee. The president started the meeting by giving the vote of thanks to all the participants including suppliers.

The Member Secretary discuss about the proposal submission procedures, technical & financial evaluation criteria, security deposit, liquidity damage, materials specifications, quality, delivery lead time, delivery location, tender opening, awarding process and take the decision in consultation with the others member of procurement committee.

Some suppliers have raised the below issues regarding materials specifications which has been resolved accordingly. All the suppliers are requested to submit the proposal according to below materials specifications.

SL	Name of Goods/Services	Details Specifications of Goods/Services	Quantity	Unit	Unit Rate (Including VAT & AIT)	Total Price in BDT
1	Filling Sand	(FM-0.8) good quality without clay & debris.	4624	CFT		
2	Brick	(First Class, Size: 9.5" x 4.5" x 2.75") Sharped edge & homogenous color.	77875	Nos		5
3	Portable Plastic Dustbin	Support Wheel Dustbin Paddle -120 liter, Brand: Gazi or RFL, Material: LLDPE plastic material Dimension: L- 495 x H-890 x W-440 mm, Capacity: 120 Liter, Color: Blue	12	Nos		
4	Portable Hand Washing Station	Including with MS Angle Stand and 60 Liter Plastic Water Drum with attach Bibchoke.	12	Nos		
5	Iron Nail 3"	4" long good quality - or Apple Brand.	99	kg	ation	

Page 1 of 9

House # 88/A, Road # 7/A, Dhanmondi R/A, Dhaka-1209, Banglades Phone: 880-2-58152424, 880-2-222245048, E-mail: ricdirector@yahoo.com, Web: www.ric-bd.org

6	Iron Nail 4"	3" long good quality - or Apple Brand.	46	kg		
7	Cap Iron Nail 3"	3" long good quality - or Apple Brand with Rubber washer	64	kg		
8	Gi Net PVC Coated	Material: High-quality, weather-resistant GI net with plastic cover. Green Color, Mesh Size: 1 inch x 1 inches. Wide 6.5 feet.	1715	sft		
9	Wooden Batten (1.5"x3"x10")	(Size: 1.5"x3"x10') Matured Seasoning Wood without pall as per mansion specification (Local Akashmoni/ Shal/ Garjan) without curve.	151	cft		
10	Wooden Rafter(3"x3"x10")	(Size: 3"x3"x10') Matured Seasoning Wood without pall as per mansion specification (Local Akashmoni/Shal/Garjan) without curve.	59	cft		
11	Wooden Purlin(3"x2"x10')	(Size: 3"x2"x10') Matured Seasoning Wood without pall as per mansion specification (Local Akashmoni/Shal/Garjan) without curve.	56	cft		
12	Wooden Beam(3"x3"x10")	(Size: 3"x3"x10') Matured Seasoning Wood without pall as per mansion specification (Local Akashmoni/Shal/Garjan) without curve.	7	cft	2	
13	RCC Pre cast Piller(5"x5"x10'-3")	10ft 3inch height pre-cast pillar (5" x 5" size) with reinforced cement concrete works and including 3 nos 08 mm main ber and Tie ber 06mm with minimum cement content relates to mix ratio 1:1.5:3.	151	Nos		
14	Working Sand	(casting sand) good quality - FM 1.5 without clay & debris.	1838	cft		



15	Cement	Portland Composite Cement -CEM- , Seven Rings /Ruby/Shah special - Brand.	463	Bag		
16	Gi Corrugated Color Sheet (6'x2.5')	All side walls and Roof (Tick 0.42mm & Long 6 feet), Color Green, Brand Abul Khair	526	Nos		
17	Roof Top Joint Sheet (Ridges)	Size: 1'x6' for Roof (Tick 0.42mm) Color Green, Brand Abul Khair	54	Nos		
18	MS Rod 10 mm	M.S. Ribbed/ Deformed Bar (60 Grade) 10 mm dia (BSRM/ RSRM/AKS Brand)	10	Kg		
19	Gi Wire 22 No	Binding GI wire:(22 no) low carbon steel, hot dip galvanized tie wire	2	kg		
20	Gi Wire 18 No	Binding GI wire:(18 no) low carbon steel, hot dip galvanized tie wire	50	Kg		
21	06" UPVC Pipe	6" dia uPVC pipe- D class- 20ft long, 3.00 mm thick (RFL/ N-Poly/ Aziz/ Partex/A1) brand.	40	RFT		
22	Ceiling Fan Ac	Product details of BRB Ceiling Fan 56" Off White Color Size: 56" (1400 mm) Voltage: 220v 3 Aluminum Blades	4	Nos		
23	Metal Hose Clamp 6"	Surface Treatment: Galvanized Sheet Size: 6 inch 304-grade stainless steel	30	Nos	10	
24	Shovel	Best Quality Dia 20mm, Long 4 feet One side cones & other side sharp Surface Without Grip	50	Nos		
25	Spade	Best Quality with Wooder handle, The size of steel spade is 8-inch The size of the handle is 35-inch. With proper sharp the spade	48	Nos		

26	Brick Towel	Best Quality, Material: Steel, Handle Material: Wood, Usage/Application: Construction, Color: Silver Size/Dimension: Standard Finishing: Polished	15	Nos		
27	Plum Bob	Usage/Application construction worksMaterial cast ironSize/Dimension Standard, Thread: Cotton thread	9	Nos		
28	Water Leveling	Best Quality, 9 Inch Measuring Water Level Ruler High Accuracy Sprit Level Magnetic Bubble Level	1	Nos	-	
29	Water Level pipe	Best Quality (Size: 50 feet long, 0.25 inch dia) for construction works	3	Nos		
30	Handsaw	Best Quality, Size 400mm, 16", Blade 7TPI & 65Mn	15	Nos		
31	Files tools for Saw	Best Quality, For Saw Sharper size: 6 inch with handle	16	Nos		
32	Hacksaw	Harden 12" Hacksaw Frame (Classic) Adjustable Metal Hacksaw Frame 5 nos, With attach Hacksaw blade for high metal cutting 10 nos	15	Nos		
33	Water Drum (100 liter)	Product name: HDPE 100 liter plastic drum. Shape: Round. Capacity: liter. Color: Blue. Height: 21 Inche. Wide: 10.5 Inch.	3	Nos		
34	Wooden Float	Best Quality, Wooden Plastering Material: Wood Thickness: 1"Size 10" Rectangular	15	Nos	× .	
35	Bamboo Basket	Best Quality, Local name- Tukri or Peruga. Made of bamboo & Bet Dia- 20-22 inch With Handle	64	Nos	Joyston Cer	

36	Mason Pan	Best Quality (Steel pen with Handel for construction works, Size: 18" dia)	40	Nos		
37	Hammer 1 Pound	Type: Claw Hammer Size: 1 Pound Color: Black Handle Material: Wooden handle Forged steel polished head Shock absorbing shaft with nylon surround, Driving in or levering nails out	29	Nos		
38	Hammer 10 Pound	Best Quality with 5.5 kg Color: Black Handle Material: Wooden handle Forged steel polished head Shock-absorbing shaft with nylon surround	15	Nos		
39	Steel Buket 10 Liter	Stainless Steel Buckets are for use in construction applications where durability is required. Handle/Bail isstandard for easy transport. Top diameter is 12-3/4". Constructed of grade 202 stainless steel	41	Nos		
40	Measurement Tape	Product: Measuring Tape Size: 7 Meter or 23 Feet Brand: EHBL Unbreakable, Long Lasting Easy carry, Durable	15	Nos		
41	Thread Ball	Best Quality, Material: Blend Fabric Features: White Color, Size Details: Each Roll Length: 13200cm/5196.85" (Approx.) Yarn Diameter: 0.2cm/0.08" (Approx.)	5	Nos		
42	Polythene	Best Quality, 0 size, Black Cour for construction woks	14	Roll		
43	Broom Flower	Best Quality for construction works (Without plastic)	15	Nos	applation Co.	

age **5** of **9**

		Best Quality for			
44	Plastering Foam	construction works, Size: 4"x10"	48	Nos	
45	Plier	Best Quality, Size: 8"(Plus) Brand: TOLSEN 8" Combination Pliers	17	Nos	
46	Ladder	Best Quality, Alumuniam Ladder with Double Part	1	Nos	
47	Scissors	Best Quality size-10'	2	Nos	
48	Helmet	Color: Yellow. Cross Air-Cooling System on top & back lightweight helmet designed for general use 6-point adjustable low- density Polyethylene harness very useful for head protection	37	Nos	
49	Gumboot	Hardness- Sole/heel 60+-5 deg A, No leakage when air with pressure of 1.5 kg is forced into the boot Thickness- Sole 12.5mm & Heel 28m, Free Size	57	Nos	
50	Hand Gloves	Best Quality, Industrial Rubber hand gloves for waste cleaning, Free Size	84	Nos	
51	Caution Tape	Best Quality, Yellow Caution Tape Sticker for Safety Barrier Construction Area 50Mx7.5Cm Roll	21	Nos	
52	Caution Board	Mansion with The Area under construction Made from high grade Plastic, Sunlight resistantWorks in extreme weatherPVC Floor Stand with side display Categories: Floor Stand Up Sign For Construction Works, Safety and Security	9	Nos	
53	Upvc Long Trap 4" Dia	Best Quality RFL/Gazi	8	Nos	
54	Upvc Pipe 3" Dia	Best Quality RFL/Gazi	160	Rft	



55	GI Plain Sheet 0.51mm (5ft)	0.51mm/24 Gauge Thickness Plain GI Sheet For Door, Wide 5 feet, Color Green.	1490	Sft	
56	Plastic Corrugated Sheet (6'x2.5')	For Roof (Long 6 feet), Color White, Brand Abul Khair	40	Nos	
57	Screw For hinge 1"	1" screw: Supplying Best Quality	30	Dozen	
58	Hinges 4"	Hinge: S.S 0'-4" size good quality	40	Nos	
59	Hasbolt 6"	Hasbolt: S.S 0'-6" size good quality	27	Nos	
60	Door Handle 5"	Best Quality (SS)	7	Nos	
61	RCC Pre cast Ring 4' ft Dia	With reinforced cement concrete works and including 3nos 06 mm main ber and Tie ber 3nos 06mm with minimum cement content relates to mix ratio 1:1.5:3.	56	Nos	
62	RCC Pre cast Ring Slab 4' ft Dia	With reinforced cement concrete works and including 6"c/c @ 08mm main ber and Tie ber 6"c/c @ 08mm with minimum cement content relates to mix ratio 1:1.5:3.	8	Nos	
63	Pvc Gas Pipe	Best Quality, Size: 2" dia, long 10', RFL or Gazi Brand	8	Nos	
64	Pvc Cowel	Best Quality, Size: 2", uPVC Vent Cowl Brand: RFL or Gazi uPVC Pipe & Fittings	8	Nos	
65	Satu plastic pan with Slab 3.5' Dia	with Slab 3.5' Dia	8	Nos	
66	Electric Wire 2.5 RM	BRB Black (50%) & Red (50%) Color Cable 1X2.5RM 7-W BYA FR Skin Coated Single Core PVC Insulated Non-Sheathed Wire Copper Cord 2.5RM 7W	4	Coil	



Electric Wiring Pipe (0 .5")	uPVC Pipe 1/2"X10' Elec Conduit (G) Brand: RFL Electric Pipe & Fittings Size: 1/2"X10' Household and office Electric line wiring Fire Resistance Color: Ash or Gray	30	Nos		
Electric Switch Board	Specifications of 6 Hole Piano Switch Box Plastic Nylon (Electrical Switch Board of 6 Ghat) White Color	14	Nos		
Electric Switch	1 Way Super Star Switch for Advanced Home Control and Best quality	45	Nos		
Fan Regulator	Fan Regulator Dimmer Voltage: 220-250V AC Current: 6A International Standards Fire Retardant Durable	3	Nos	-	
2 Pin Socket	2 Pin Super Star Socket and Best quality	18	Nos		
3 Pin Socket	3 Pin Round Socket with Switch and Best quality	3	Nos	¥	
Solar ceiling fan	has 56 inch 3-metal fan blades	3	Nos		
Solar panel cable	70/76 PVC Channe	11	Rft		
Lock Chain & Vikinngo security lock	Supply, fittings & fixing 1.5' long lock chain with two 50mm Vikinngo security lock	3	Each		
12V , 130 AP/AH @ 10H Heavy Duty Battery.	Supplying fitting and fixing and installation	2	Each		
Inverter 30 AP for Soler	Supplying fitting and fixing and installation	2	Each		
Solar Panel 500W for Soler	Supplying fitting and fixing and installation	2	Each		
Energy saving light (15Watt) for Soler	15Watt Good Quality	6	Nos	э	
	Electric Switch Board Electric Switch Electric Switch 2 Pin Socket 3 Pin Socket 3 Pin Socket Solar ceiling fan Solar panel cable Lock Chain & Vikinngo security lock 12V , 130 AP/AH @ 10H Heavy Duty Battery. Inverter 30 AP for Soler Solar Panel 500W for Soler Energy saving light	Electric Wiring Pipe (0 .5") Electric Wiring Pipe (0 .5") Electric Switch Soard Electric Switch Board Electric Switch Board Electric Switch Electric Iine wiring Fire Resistance Color: Ash or Gray Supulstor Diswitch Electric Iine wiring Fire Resistance Color: Ash or Gray Supulstric Box Switch Electric line wiring Fire Resistance Color: Ash or Gray Supulstric Box Switch Electric line wiring Fire Resistance Color: Ash or Gray Supulstric Box Switch Electric Switch Electric Switch Electric Switch Electric Electric line wiring Fire Resistance Color: Ash or Gray Supulstric Box Switch Electric line wiring Fire Resistance Color: Ash or Gray Supulsing Fitting and Fixing Electric line wiring Fire Resistance Color: Ash or Gray Supulsing Fitting and fixing and installation Energy saving light	Electric Wiring Pipe (O .5") Electric Wiring Pipe (O .5") Electric Wiring Pipe (O .5") Electric Switch (Color: Ash or Gray) Electric Switch (Color: Ash or Gray) Specifications of 6 Hole (Color: Ash or Gray) I Way Super Star Switch (Color: Ash or Gray) Fan Regulator Dimmer (Color: Ash or Gray) Specifications of 6 Hole (Color: Ash or Gray) Fan Regulator Dimmer (Color: Ash or Gray) Fan Regulator Dimmer (Color: Ash or Gray) Fan Regulator Dimmer (Color: Ash or Gray) Spin Resistance (Color: Ash or Gray (Color: Ash or Gray) Spin Resistance (Color: Ash or Gray (Color: Ash or	Electric Wiring Pipe (0 .5") Electric Wiring Pipe (0 .5") Size: 1/2"X10' Household and office Electric line wiring Fire Resistance Color: Ash or Gray Specifications of 6 Hole Piano Switch Board of 6 Ghat) White Color Electric Switch Board 1 Way Super Star Switch For Advanced Home Control and Best quality Fan Regulator Fan Regulator Fan Regulator Fan Regulator Dimmer Voltage: 220-250V AC Current: 6A International Standards Fire Retardant Durable 2 Pin Socket 2 Pin Socket 3 Pin Round Socket with Switch and Best quality Solar ceiling fan has 56 inch 3-metal fan blades Solar panel cable 70/76 PVC Channe 11 Rft Supply, fittings & fixing 1.5' Vikinngo security lock 12V , 130 AP/AH @ 10H Heavy Duty Battery. Inverter 30 AP for Soler and installation Solar Panel 500W for Soler Energy saving light	Electric Wiring Pipe (0.5") Electric Wiring Pipe (0.5") Electric Wiring Pipe (0.5") Electric Switch (2.5") Electric Switch

age 8 of 9

Tak	a In Words:	Grand Total			
82	Electric wiring PVC channel (23/76 Cable/wiring) for Soler system.	PVC channel (23/76 Cable/wiring)	100	RFT	
81	Cercit Breaker	Super Star Auto Circuit Breaker, Best quality	3	Nos	
80	Led Back Up Light	Super Star Daylight 18- Watt LED Bulb Bright White Lamp Light Pin 2 Years Warranty	15	Nos	

As there is no other discussion issue, the meeting has been closed by thanking to all the participants.

Thanks & Regards,

Abu Riyadh Khan

Deputy Director

&

Member Secretary of Procurement Committee

Copy to:

Honorable Executive Director, RIC

Approved by,

Abul Haseeb Khan Executive Director

